

# Migrant And Seasonal Agricultural Worker

## Protection Act

Housing Safety & Health Checklist Under OSHA 29 CFR 1910.142

# U.S. Department of Labor

Employment Standards Administration

Wage and Hour Division



Identity & Address of Housing Owner/Provider		Location of Housing Investigated: (attach map, if necessary)	
Identity & Address of Person in Charge of Housing: (if FLC · give Registration Number)			
Description of Housing: (attach drawings or photographs, if necessary)		Housing Capacity:	
		Number of Occupants:	
Current Permits or Licenses: (identify by date and agency) (attach copy)			
Compliance Officer(s) ·		Date:	
<b>STANDARDS</b>  Record all violations of any applicable standard, Technical or procedural violations of standards will be classified as marginal. Substantive standards violations may be either substantive and aggravated or substantive and serious. See 29 CFR 500.133 for definition of substantive standards.		<b>Substantive</b>	
		<b>Aggravated</b>	<b>Serious</b>
		<b>Marginal</b>	
<b>SITE (29 CFR 1910.142(a)).</b> 1. Inadequate drainage (29 CFR 1910.142(a)(1)). <b>COMMENTS:</b>			
2. Inactive water (swamp, sinkhole, etc.) within 200' of camp and untreated for mosquito control (29 CFR 1910.142(a)(1)). <b>COMMENTS:</b>			
3. Site not graded, ditched, or rendered free from depressions in which water may become a nuisance (29 CFR 1910.142(a)(1)). <b>COMMENTS:</b>			
4. Danger to domestic or public water supply from poor drainage (29 CFR 1910.142(e)(1)). <b>COMMENTS:</b>			

Identity of Housing:	Registration Number: (if applicable)		
STANDARDS	Substantive		Marginal
	Aggravated	Serious	
5. Subject to periodic flooding (29 CFR 1910.142(a) (1)). <b>COMMENTS:</b>			
6. Within 500' of livestock area (29 CFR 1910.142(a) (2)). <b>COMMENTS:</b>			
7. Overcrowding of structures (29 CFR 1910.142(a) (2)). <b>COMMENTS:</b>			
8. Grounds and open areas not maintained in a clean and sanitary condition. Areas not free from rubbish, debris, waste paper, garbage or other refuse (29 CFR 1910.142(a) (3)). <b>COMMENTS:</b>			
9. When closing camp for the season, failure to collect and dispose of refuse (29 CFR 1910.142(a) (4)). <b>COMMENTS:</b>			
10. Abandoned toilet pits not filled with dirt (29 CFR 1910.142(a) (4)). <b>COMMENTS:</b>			
11. Toilet buildings not locked when camp closing for season (29 CFR 1910.142(1) (4)). <b>COMMENTS:</b>			

Identity of Housing:	Registration Number: (if applicable)		
STANDARDS	Substantive		Marginal
	Aggravated	Serious	
<b>SHELTER (29 CFR 1910.142(b)).</b> 12. Shelter(s) do not provide protection against the elements (29 CFR 1910.142(b) (1)). <b>COMMENTS:</b>			
13. Less than 50 sq. ft. per person in sleeping rooms (29 CFR 1910.142(b) (2)). <b>COMMENTS:</b>			
14. Ceiling not 7' high (29 CFR 1910.142(b) (2)). <b>COMMENTS:</b>			
15. No wall lockers for clothing and personal articles provided in sleeping rooms (29 CFR 1910.142(b) (3)). <b>COMMENTS:</b>			
16. No beds, cots, or bunks provided for each occupant (29 CFR 1910.142(b) (3)). <b>COMMENTS:</b>			
17. Beds, cots or bunks less than 3' apart and/or less than 12" from floor (29 CFR 1910.142(b) (3)). <b>COMMENTS:</b>			
18. Double Deckers: Less than 4' between bunks, side to sides and end to end; and less than 27" between bunks (29 CFR 1910.142(b) (3)). <b>COMMENTS:</b>			

Identity of Housing:		Registration Number: (if applicable)		
STANDARDS		Substantive		Marginal
		Aggravated	Serious	
19. Triple bunks used (29 CFR 1940.142(b) (3)). <b>COMMENTS:</b>				
20. Floors in structures made of other than wood, asphalt or concrete (29 CFR 1910.142(b) (4)). <b>COMMENTS:</b>				
21. Wooden floors not of smooth and tight construction (29 CFR 1910.142(b) (4)). <b>COMMENTS:</b>				
22. Floors in disrepair (29 CFR 1910.142(b) (4)). <b>COMMENTS:</b>				
23. Wooden floors elevated less than 1' above ground level (29 CFR 1910.142(b) (5)). <b>COMMENTS:</b>				
24. Windows and doors in living quarters total less than 1/10 of floor area (29 CFR 1910.142(b) (7)). <b>COMMENTS:</b>				
25. Windows cannot be opened one-half to allow for ventilation (29 CFR 1910.142(b) (7)). <b>COMMENTS:</b>				

Identity of Housing:		Registration Number: (if applicable)		
STANDARDS		Substantive		Marginal
		Aggravated	Serious	
26. Broken windows (29 CFR 1910.142(b) (1)). COMMENTS:				
27. Openings in shelter not screened with 16 - mesh material (29 CFR 1910.142(b) (8)). COMMENTS:				
28. Door not equipped with self-closing devices (29 CFR 1910.142(b) (8)). COMMENTS:				
29. Less than 100 sq. ft. per person in a room where workers cook, live and sleep (29 CFR 1910.142(b) (9)). COMMENTS:				
30. Sanitary facilities not provided for storing and preparing food in rooms where workers cook, live, and sleep (29 CFR 1910.142(b) (9)). COMMENTS:				
31. At least 1 stove for each 10 people or 2 families not provided where cooking facilities are used in common (29. CFR 1910.142(b) (10)). COMMENTS:				
32. Cooking facilities used in common not provided in an enclosed and screened shelter (29 CFR 1910.142(b) (10)). COMMENTS:				

Identity of Housing:	Registration Number: (if applicable)		
STANDARDS	Substantive		Marginal
	Aggravated	Serious	
33. Heating, cooking and water heating equipment not installed in accordance with applicable codes and regulations (29 CFR 1910.142(b) (11)). <b>COMMENTS:</b>			
34. Adequate heating not provided in every shelter used during cold weather to maintain a comfortable temperature (29 CFR 1910.142(b) (11)). <b>COMMENTS:</b>			
<b>WATER SUPPLY (29 CFR 1910.142(c)).</b> 35. Water supply inadequate and/or inconvenient for drinking, cooking, bathing and laundry (29 CFR 1910.142(c)(1)). <b>COMMENTS:</b>			
36. Water supply less than 35 gallons per person per day (29 CFR 1910.142(c) (2)). <b>COMMENTS:</b>			
37. Water not approved by health department for drinking, cooking, bathing and laundry purposes (29 CFR 1910.142(c) ( 1)). <b>COMMENTS:</b>			
38. Water unfit for human use (29 CFR 1910.142(c) (1)). <b>COMMENTS:</b>			
39. Shelters more than 100' from available water outlet when no indoor water facilities are provided (29 CFR 1910.142(c) (3)). <b>COMMENTS:</b>			

Identity of Housing:		Registration Number: (if applicable)		
STANDARDS		Substantive		Marginal
		Aggravated	Serious	
40. Drinking fountains (at ratio of 1 fountain per 100 occupants) not provided where water under pressure is available (29 CFR 1910.142(c) (4)). <b>COMMENTS:</b>				
41. Common drinking cups used (29 CFR 1910.142(c) (4)). <b>COMMENTS:</b>				
<b>TOILET FACILITIES (29 CFR 1910.142(d)).</b> 42. Toilet room accessible only through sleeping room (29 CFR 1910.142(d) (2)). <b>COMMENTS:</b>				
43. Toilet rooms not adequately ventilated and/or do not have a 6' sq. ft. opening to the outside (29 CFR 1910.142(d) (2)). <b>COMMENTS:</b>				
44. Privies within 100' of any sleeping room, dining room, lunch area or kitchen (29 CFR 1910.142(d) (3)). <b>COMMENTS:</b>				
45. Toilet room(s) located more than 200' away from every sleeping room (29 CFR 1910.142(d) (3)). <b>COMMENTS:</b>				
46. Separate toilet facilities not provided for each sex (29 CFR 1910.142(d) (4)). <b>COMMENTS:</b>				

Identity of Housing:	Registration Number: (if applicable)		
STANDARDS	Substantive		Marginal
	Aggravated	Serious	
47. Facilities for each sex not separated by solid walls or partitions extending from floor to ceiling(29 CFR 1910.142(d) (4)). <b>COMMENTS:</b>			
48. Toilet facilities not provided in the required ratio of one unit for each 15 persons and urinals of at least 2 feet of trough for every 25 men (29 CFR 1910.142(d) (5))and (6)). <b>COMMENTS:</b>			
49. Construction of pit or vault does not keep out flies and rodents (29 CFR 1910.142(d) (6)). <b>COMMENTS:</b>			
50. Water closets installed after August 31, 1971, not located in a toilet room (29 CFR 1910.142(d) (7)). <b>COMMENTS:</b>			
51. Toilet rooms, commodes and urinals not kept lighted all hours of the night and day (CFR 1910.142(d) (8)). <b>COMMENTS:</b>			
52. Outside openings not screened (29 CFR 1910.142(d) (2)). <b>COMMENTS:</b>			
53. Toilet paper not provided in adequate supply (29 CFR 1910.142(d) (9)). <b>COMMENTS:</b>			



Identity of Housing:		Registration Number: (if applicable)		
STANDARDS		Substantive		Marginal
		Aggravated	Serious	
54. Toilets in an unsanitary condition (29 CFR 1910.1421d) (10)). COMMENTS:				
55. Toilet rooms not clean daily (29 CFR 1910.142 (d) (10)). COMMENTS:				
SEWAGE DISPOSAL FACILITIES (25 CFR 1910.142(e)). 56. Sewer lines and drains not connected to available public sewers (29 CFA 1910.142(e)). COMMENTS:				
LAUNDRY, HANDWASHING, AND BATHING FACILITIES (29 CFR 1910.142(f)). 57. Laundry facilities not provided (29 CFR 1910.142(f)(1)1). COMMENTS:				
58. Handwashing facilities not provided (29 CFR 1910.142(f) (1)). COMMENTS:				
59. Bathing facilities not provided (29 CFR 1910.142(f) (1)). COMMENTS:				
60. Handwash basins et ratio of 1 per family shelter or 1 per every 6 persons in shared facility not provided (29 CFR 1910.142(f)( 1 )(i)). COMMENTS:				

Identity of Housing:		Registration Number: (if applicable)		
STANDARDS		Substantive		Marginal
		Aggravated	Serious	
61. At least one shower head for every 10 persons (29 CFR 1910.142(f)(1 )(ii)). COMMENTS:				
62. Laundry tray or tub at ratio of one for every 30 persons not provided (29 CFR 1910.142(f) ( 1) (iii)). COMMENTS:				
63. Slop sinks in buildings used for laundry,washing and bathing not provided (29 CFR 1910.142(f) (1) (iv)). COMMENTS:				
64. Waterproof, smooth, nonslip floors not provided in laundry and bathing facillties (29 CFR 1910.142(f) (2)). COMMENTS:				
65. No floor drains or adequate drainage (29 CFR 1910.142(f) (2)). COMMENTS:				
66. Walls and partitions not of waterproof material up to splash line (29 CFR 1910.142 (f) (2)). COMMENTS:				
67. Inadequate supply of hot and/or cold running water for bathing and laundry purposes (29 CFR 1910.142(f) (3)). COMMENTS:				

Identity of Housing:		Registration Number: (if applicable)		
STANDARDS		Substantive		Marginal
		Aggravated	Serious	
68. No hot water available (29 CFR 1910.142(f) (3)). COMMENTS:				
69. No facilities available for heating, bathing and laundry water (29 CFR 1910.142(f) (3)). COMMENTS:				
70. Service building not equipped with heating facilities to maintain a temperature of 70° F during cold weather (29 CFR 1910.142(f) (4)). COMMENTS:				
71. No facilities provided for drying clothes (29 CFR 1910.142 (f) (5)). COMMENTS:				
72. Service buildings not kept clean (29 CFR 1910.142(f) (6)). COMMENTS:				
LIGHTING (29 CFR 1910.142(g)). 73. Electric service available but not supplied to each habitable room, laundry rooms, toilet rooms, kitchens, dining rooms and storage rooms (29 CFR 1910.142(g)). COMMENTS:				
74. Each room not supplied with at least one ceiling-type light fixture (29 CFR 1910.142 (g)). COMMENTS:				

Identity of Housing:	Registration Number: (if applicable)		
STANDARDS	Substantive		Marginal
	Aggravated	Serious	
75. Electrical outlets not provided in each room (29 CFR 1910.142(g)). COMMENTS:			
76. Lighting of an adequate level not provided in each room (29 CFR 1910.142(g)). COMMENTS:			
REFUSE DISPOSAL (29CFR 1910.142(h)). 77. No refuse containers (insect and rodent-proof) provided (29 CFR 1910.142(h) ( 1)) COMMENTS:			
78.Failed to have at least one container for each famiiy unit (29 CFR 1910.142(h) (1)). COMMENTS:			
79. Containers not kept clean (29 CFR 1910.142(h) (2)). COMMENTS:			
80. Containers not on a wooden, metal or concrete stand (29 CFR 1910.142(h) (1)). COMMENTS:			
81. Containers not within 100' of shelters (29 CFR 1910.142(h) (1)). COMMENTS:			

Identity of Housing:		Registration Number: (if applicable)		
STANDARDS		Substantive		Marginal
		Aggravated	Serious	
82. Containers not emptied when full (29 CFR 1910.142(h) (3)). COMMENTS:				
83. Container, emptied less than twice a week (29 CFR 1910.142(h) (3)). COMMENTS:				
CONSTRUCTION AND OPERATION OF KITCHEN, DINING HALLS, AND CENTRAL FEEDING FACILITIES (29 CFR 1910.142(i)) 84. Food not free from vermin, rodents, flies, etc., (29 CFR 1910.142(i)). COMMENTS:				
85. Food not free from spoilage (29 CFR 1910.142(i)). COMMENTS:				
86. Poisonous or toxic materials stored with food or in food preparation area (29 CFR 1910.142(i)). COMMENTS:				
87. Person(s) with communicable disease working in preparation, cooking or handling of food (29 CFR 1910.142(i)(3)). COMMENTS:				
88. Equipment and utensils not clean (29 CFR 1910.142(i)). COMMENTS:				

Identity of Housing:		Registration Number: (if applicable)		
STANDARDS		Substantive		Marginal
		Aggravated	Serious	
89. Kitchen area unclean (29 CFR 1910.142(i)). <b>COMMENTS:</b>				
90. Hot and cold running water not provided (29 CFR 1910.142(i)). <b>COMMENTS:</b>				
91. Garbage containers, leakproof and with tight lids, not provided in kitchen area (29 CFR 1910.142(i)). <b>COMMENTS:</b>				
92. Central feed facilities separate from sleeping quarters not provided (29 CFR 1910.142(i) (2)). <b>COMMENTS:</b>				
<b>INSECT AND RODENT CONTROL (29 CFR 1910.142(j)).</b> 93. Infestation by and harborage of insects and/or pests (29 CFR 1910.142(j)). <b>COMMENTS:</b>				
<b>FIRST AID (29 CFR 1910.142(k)).</b> 94. No first aid supplies or equipment available in camp (29 CFR 1910.142(k) (1)). <b>COMMENTS:</b>				
95. No person in camp trained to administer first aid (29 CFR 1910.142(k) (2)). <b>COMMENTS:</b>				

[illegible]